

Subpart A—General Provisions

Sec.

- 63.1 Applicability.
- 63.2 Definitions.
- 63.3 Units and abbreviations.
- 63.4 Prohibited activities and circumvention.
- 63.5 Construction and reconstruction.
- 63.6 Compliance with standards and maintenance requirements.
- 63.7 Performance testing requirements.
- 63.8 Monitoring requirements.
- 63.9 Notification requirements.
- 63.10 Recordkeeping and reporting requirements.
- 63.11 Control device requirements.
- 63.12 State authority and delegations.
- 63.13 Addresses of State air pollution control agencies and EPA Regional Offices.
- 63.14 Incorporations by reference.
- 63.15 Availability of information and confidentiality.

Subpart B—Requirements for Control Technology Determinations for Major Sources in Accordance With Clean Air Act Sections, Sections 112(g) and 112(j)

- 63.40 Applicability of §§63.40 through 63.44.
- 63.41 Definitions.
- 63.42 Program requirements governing construction or reconstruction of major sources.
- 63.43 Maximum achievable control technology (MACT) determinations for constructed and reconstructed major sources.
- 63.44 Requirements for constructed or reconstructed major sources subject to a subsequently promulgated MACT standard or MACT requirement.
- 63.45–63.49 [Reserved]
- 63.50 Applicability.
- 63.51 Definitions.
- 63.52 Approval process for new and existing emission units.
- 63.53 Application content for case-by-case MACT determinations.
- 63.54 Preconstruction review procedures for new emission units.
- 63.55 Maximum achievable control technology (MACT) determinations for emission units subject to case-by-case determination of equivalent emission limitations.
- 63.56 Requirements for case-by-case determination of equivalent emission limitations after promulgation of a subsequent MACT standard.

Subpart C—List of Hazardous Air Pollutants, Petition Process, Lesser Quantity Designations, Source Category List

- 63.60 Deletion of caprolactam from the list of hazardous air pollutants.

63.61–63.69 [Reserved]

Subpart D—Regulations Governing Compliance Extensions for Early Reductions of Hazardous Air Pollutants

- 63.70 Applicability.
- 63.71 Definitions.
- 63.72 General provisions for compliance extensions.
- 63.73 Source.
- 63.74 Demonstration of early reduction.
- 63.75 Enforceable commitments.
- 63.76 Review of base year emissions.
- 63.77 Application procedures.
- 63.78 Early reduction demonstration evaluation.
- 63.79 Approval of applications.
- 63.80 Enforcement.
- 63.81 Rules for special situations.

Subpart E—Approval of State Programs and Delegation of Federal Authorities

- 63.90 Program overview.
- 63.91 Criteria common to all approval options.
- 63.92 Approval of a State rule that adjusts a section 112 rule.
- 63.93 Approval of State authorities that substitute for a section 112 rule.
- 63.94 Approval of a State program that substitutes for section 112 emission standards.
- 63.95 Additional approval criteria for accidental release prevention programs.
- 63.96 Review and withdrawal of approval.
- 63.97–63.98 [Reserved]
- 63.99 Delegated Federal authorities.

Subpart F—National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry

- 63.100 Applicability and designation of source.
- 63.101 Definitions.
- 63.102 General standards.
- 63.103 General compliance, reporting, and recordkeeping provisions.
- 63.104 Heat exchange system requirements.
- 63.105 Maintenance wastewater requirements.
- 63.106 Delegation of authority.
- TABLE 1 TO SUBPART F—SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY CHEMICALS
- TABLE 2 TO SUBPART F—ORGANIC HAZARDOUS AIR POLLUTANTS
- TABLE 3 TO SUBPART F—GENERAL PROVISIONS APPLICABILITY TO SUBPARTS F, G, AND H
- TABLE 4 TO SUBPART F—ORGANIC HAZARDOUS AIR POLLUTANTS SUBJECT TO COOLING TOWER MONITORING REQUIREMENTS IN §63.104

Subpart G—National Emission Standards for Organic Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater

- 63.110 Applicability.
- 63.111 Definitions.
- 63.112 Emission standard.
- 63.113 Process vent provisions—reference control technology.
- 63.114 Process vent provisions—monitoring requirements.
- 63.115 Process vent provisions—methods and procedures for process vent group determination.
- 63.116 Process vent provisions—performance test methods and procedures to determine compliance.
- 63.117 Process vent provisions—reporting and recordkeeping requirements for group and TRE determinations and performance tests.
- 63.118 Process vent provisions—periodic reporting and recordkeeping requirements.
- 63.119 Storage vessel provisions—reference control technology.
- 63.120 Storage vessel provisions—procedures to determine compliance.
- 63.121 Storage vessel provisions—alternative means of emission limitation.
- 63.122 Storage vessel provisions—reporting.
- 63.123 Storage vessel provisions—recordkeeping.
- 63.124–63.125 [Reserved]
- 63.126 Transfer operations provisions—reference control technology.
- 63.127 Transfer operations provisions—monitoring requirements.
- 63.128 Transfer operations provisions—test methods and procedures.
- 63.129 Transfer operations provisions—reporting and recordkeeping for performance tests and notification of compliance status.
- 63.130 Transfer operations provisions—periodic recordkeeping and reporting.
- 63.131 [Reserved]
- 63.132 Process wastewater provisions—general.
- 63.133 Process wastewater provisions—wastewater tanks.
- 63.134 Process wastewater provisions—surface impoundments.
- 63.135 Process wastewater provisions—containers.
- 63.136 Process wastewater provisions—individual drain systems.
- 63.137 Process wastewater provisions—oil-water separators.
- 63.138 Process wastewater provisions—performance standards for treatment processes managing Group 1 wastewater streams and/or residuals removed from Group 1 wastewater streams.

- 63.139 Process wastewater provisions—control devices.
- 63.140 Process wastewater provisions—delay of repair.
- 63.141–63.142 [Reserved]
- 63.143 Process wastewater provisions—inspections and monitoring of operations.
- 63.144 Process wastewater provisions—test methods and procedures for determining applicability and Group 1/Group 2 determinations (determining which wastewater streams require control).
- 63.145 Process wastewater provisions—test methods and procedures to determine compliance.
- 63.146 Process wastewater provisions—reporting.
- 63.147 Process wastewater provisions—recordkeeping.
- 63.148 Leak inspection provisions.
- 63.149 Control requirements for certain liquid streams in open systems within a chemical manufacturing process unit.
- 63.150 Emissions averaging provisions.
- 63.151 Initial notification.
- 63.152 General reporting and continuous records.

APPENDIX TO SUBPART G—TABLES AND FIGURES

Subpart H—National Emission Standards for Organic Hazardous Air Pollutants for Equipment Leaks

- 63.160 Applicability and designation of source.
- 63.161 Definitions.
- 63.162 Standards: General.
- 63.163 Standards: Pumps in light liquid service.
- 63.164 Standards: Compressors.
- 63.165 Standards: Pressure relief devices in gas/vapor service.
- 63.166 Standards: Sampling connection systems.
- 63.167 Standards: Open-ended valves or lines.
- 63.168 Standards: Valves in gas/vapor service and in light liquid service.
- 63.169 Standards: Pumps, valves, connectors, and agitators in heavy liquid service; instrumentation systems; and pressure relief devices in liquid service.
- 63.170 Standards: Surge control vessels and bottoms receivers.
- 63.171 Standards: Delay of repair.
- 63.172 Standards: Closed-vent systems and control devices.
- 63.173 Standards: Agitators in gas/vapor service and in light liquid service.
- 63.174 Standards: Connectors in gas/vapor service and in light liquid service.
- 63.175 Quality improvement program for valves.
- 63.176 Quality improvement program for pumps.

- 63.177 Alternative means of emission limitation: General.
- 63.178 Alternative means of emission limitation: Batch processes.
- 63.179 Alternative means of emission limitation: Enclosed-vented process units.
- 63.180 Test methods and procedures.
- 63.181 Recordkeeping requirements.
- 63.182 Reporting requirements.

TABLE 1 TO SUBPART H—BATCH PROCESSES

TABLE 2 TO SUBPART H—SURGE CONTROL VESSELS AND BOTTOMS RECEIVERS AT EXISTING SOURCES

TABLE 3 TO SUBPART H—SURGE CONTROL VESSELS AND BOTTOMS RECEIVERS AT NEW SOURCES

Subpart I—National Emission Standards for Organic Hazardous Air Pollutants for Certain Processes Subject to the Negotiated Regulation for Equipment Leaks

- 63.190 Applicability and designation of source.
- 63.191 Definitions.
- 63.192 Standard.
- 63.193 Delegation of authority.

Subparts J-K [Reserved]

Subpart L—National Emission Standards for Coke Oven Batteries

- 63.300 Applicability.
- 63.301 Definitions.
- 63.302 Standards for by-product coke oven batteries.
- 63.303 Standards for nonrecovery coke oven batteries.
- 63.304 Standards for compliance date extension.
- 63.305 Alternative standards for coke oven doors equipped with sheds.
- 63.306 Work practice standards.
- 63.307 Standards for bypass/bleeder stacks.
- 63.308 Standards for collecting mains.
- 63.309 Performance tests and procedures.
- 63.310 Requirements for startups, shutdowns, and malfunctions.
- 63.311 Reporting and recordkeeping requirements.
- 63.312 Existing regulations and requirements.
- 63.313 Delegation of authority.

APPENDIX A TO SUBPART L—OPERATING COKE OVEN BATTERIES AS OF APRIL 1, 1992

Subpart M—National Perchloroethylene Air Emission Standards for Dry Cleaning Facilities

- 63.320 Applicability.
- 63.321 Definitions.
- 63.322 Standards.
- 63.323 Test methods and monitoring.

- 63.324 Reporting and recordkeeping requirements.
- 63.325 Determination of equivalent emission control technology.

Subpart N—National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks

- 63.340 Applicability and designation of sources.
- 63.341 Definitions and nomenclature.
- 63.342 Standards.
- 63.343 Compliance provisions.
- 63.344 Performance test requirements and test methods.
- 63.345 Provisions for new and reconstructed sources.
- 63.346 Recordkeeping requirements.
- 63.347 Reporting requirements.

TABLE 1 TO SUBPART N—GENERAL PROVISIONS APPLICABILITY TO SUBPART N

Subpart O—Ethylene Oxide Emissions Standards for Sterilization Facilities

- 63.360 Applicability.
- 63.361 Definitions.
- 63.362 Standards.
- 63.363 Compliance and performance testing.
- 63.364 Monitoring requirements.
- 63.365 Test methods and procedures.
- 63.366 Reporting requirements.
- 63.367 Recordkeeping requirements.

Subpart P [Reserved]

Subpart Q—National Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers

- 63.400 Applicability.
- 63.401 Definitions.
- 63.402 Standard.
- 63.403 Compliance dates.
- 63.404 Compliance demonstrations.
- 63.405 Notification requirements.
- 63.406 Recordkeeping and reporting requirements.

TABLE 1 TO SUBPART Q—GENERAL PROVISIONS APPLICABILITY TO SUBPART Q

Subpart R—National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)

- 63.420 Applicability.
- 63.421 Definitions.
- 63.422 Standards: Loading racks.
- 63.423 Standards: Storage vessels.
- 63.424 Standards: Equipment leaks.
- 63.425 Test methods and procedures.
- 63.426 Alternative means of emission limitation.

- 63.427 Continuous monitoring.
- 63.428 Reporting and recordkeeping.
- 63.429 Delegation of authority.

TABLE 1 TO SUBPART R—GENERAL PROVISIONS
APPLICABILITY TO SUBPART R

**Subpart S—National Emission Standards for
Hazardous Air Pollutants from the Pulp
and Paper Industry**

- 63.440 Applicability.
- 63.441 Definitions.
- 63.442 [Reserved]
- 63.443 Standards for the pulping system at kraft, soda, and semi-chemical processes.
- 63.444 Standards for the pulping system at sulfite processes.
- 63.445 Standards for the bleaching system.
- 63.446 Standards for kraft pulping process condensates.
- 63.447 Clean condensate alternative.
- 63.448–63.449 [Reserved]
- 63.450 Standards for enclosures and closed-vent systems.
- 63.451–63.452 [Reserved]
- 63.453 Monitoring requirements.
- 63.454 Recordkeeping requirements.
- 63.455 Reporting requirements.
- 63.456 [Reserved]
- 63.457 Test methods and procedures.
- 63.458 Delegation of authority.
- 63.459 [Reserved]

TABLE 1 TO SUBPART S—GENERAL PROVISIONS
APPLICABILITY TO SUBPART S

**Subpart T—National Emission Standards for
Halogenated Solvent Cleaning**

- 63.460 Applicability and designation of source.
- 63.461 Definitions.
- 63.462 Batch cold cleaning machine standards.
- 63.463 Batch vapor and in-line cleaning machine standards.
- 63.464 Alternative standards.
- 63.465 Test methods.
- 63.466 Monitoring procedures.
- 63.467 Recordkeeping requirements.
- 63.468 Reporting requirements.
- 63.469 Equivalent methods of control.
- 63.470 [Reserved]

APPENDIX A TO SUBPART T—TEST OF SOLVENT
CLEANING PROCEDURES

APPENDIX B TO SUBPART T—GENERAL PROVI-
SIONS APPLICABILITY TO SUBPART T

**Subpart U—National Emission Standards for
Hazardous Air Pollutant Emissions:
Group I Polymers and Resins**

- 63.480 Applicability and designation of affected sources.
- 63.481 Compliance schedule and relationship to existing applicable rules.
- 63.482 Definitions.

- 63.483 Emission standards.
 - 63.484 Storage vessel provisions.
 - 63.485 Continuous front-end process vent provisions.
 - 63.486 Batch front-end process vent provisions.
 - 63.487 Batch front-end process vents—reference control technology.
 - 63.488 Methods and procedures for batch front-end process vent group determination.
 - 63.489 Batch front-end process vents—monitoring requirements.
 - 63.490 Batch front-end process vents—performance test methods and procedures to determine compliance.
 - 63.491 Batch front-end process vents—recordkeeping requirements.
 - 63.492 Batch front-end process vents—reporting requirements.
 - 63.493 Back-end process provisions.
 - 63.494 Back-end process provisions—residual organic HAP limitations.
 - 63.495 Back-end process provisions—procedures to determine compliance using stripping technology.
 - 63.496 Back-end process provisions—procedures to determine compliance using control or recovery devices.
 - 63.497 Back-end process provisions—monitoring provisions for control and recovery devices.
 - 63.498 Back-end process provisions—recordkeeping.
 - 63.499 Back-end process provisions—reporting.
 - 63.500 Back-end process provisions—carbon disulfide limitations for styrene butadiene rubber by emulsion processes.
 - 63.501 Wastewater provisions.
 - 63.502 Equipment leak provisions.
 - 63.503 Emissions averaging provisions.
 - 63.504 Additional test methods and procedures.
 - 63.505 Parameter monitoring levels and excursions.
 - 63.506 General recordkeeping and reporting provisions.
- TABLE 1 TO SUBPART U—APPLICABILITY OF
GENERAL PROVISIONS TO SUBPART U AF-
FECTED SOURCES
- TABLE 2 TO SUBPART U—APPLICABILITY OF
SUBPARTS F, G, AND H TO SUBPART U AF-
FECTED SOURCES
- TABLE 3 TO SUBPART U—GROUP 1 STORAGE
VESSELS AT EXISTING AFFECTED SOURCES
- TABLE 4 TO SUBPART U—GROUP 1 STORAGE
VESSELS AT NEW SOURCES
- TABLE 5 TO SUBPART U—KNOWN ORGANIC HAP
FROM ELASTOMER PRODUCTS
- TABLE 6 TO SUBPART U—GROUP 1 BATCH
FRONT-END PROCESS VENTS—MONITORING,
RECORDKEEPING, AND REPORTING RE-
QUIREMENTS
- TABLE 7 TO SUBPART U—OPERATING PARAM-
ETERS FOR WHICH MONITORING LEVELS
ARE REQUIRED TO BE ESTABLISHED FOR

CONTINUOUS AND BATCH FRONT-END PROCESS VENTS AND AGGREGATE BATCH VENT STREAMS

TABLE 8 TO SUBPART U—SUMMARY OF COMPLIANCE ALTERNATIVE REQUIREMENTS FOR THE BACK-END PROCESS PROVISIONS

Subpart V [Reserved]

Subpart W—National Emission Standards for Hazardous Air Pollutants for Epoxy Resins Production and Non-Nylon Polyamides Production

- 63.520 Applicability and designation of sources.
- 63.521 Compliance schedule.
- 63.522 Definitions.
- 63.523 Standards for basic liquid resins manufacturers.
- 63.524 Standards for wet strength resins manufacturers.
- 63.525 Compliance and performance testing.
- 63.526 Monitoring requirements.
- 63.527 Recordkeeping requirements.
- 63.528 Reporting requirements.

TABLE 1 TO SUBPART W—GENERAL PROVISIONS APPLICABILITY TO SUBPART W

Subpart X—National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting

- 63.541 Applicability.
- 63.542 Definitions.
- 63.543 Standards for process sources.
- 63.544 Standards for process fugitive sources.
- 63.545 Standards for fugitive dust sources.
- 63.546 Compliance dates.
- 63.547 Test methods.
- 63.548 Monitoring requirements.
- 63.549 Notification requirements.
- 63.550 Recordkeeping and reporting requirements.

Subpart Y—National Emission Standards for Marine Tank Vessel Loading Operations

- 63.560 Applicability and designation of affected source.
- 63.561 Definitions.
- 63.562 Standards.
- 63.563 Compliance and performance testing.
- 63.564 Monitoring requirements.
- 63.565 Test methods and procedures.
- 63.566 Construction and reconstruction.
- 63.567 Recordkeeping and reporting requirements.

Subpart Z [Reserved]

Subpart AA—National Emission Standards for Hazardous Air Pollutants From Phosphoric Acid Manufacturing Plants

- 63.600 Applicability.

- 63.601 Definitions.
- 63.602 Standards for existing sources.
- 63.603 Standards for new sources.
- 63.604 Operating requirements.
- 63.605 Monitoring requirements.
- 63.606 Performance tests and compliance provisions.
- 63.607 Notification, recordkeeping, and reporting requirements.
- 63.608 Applicability of general provisions.
- 63.609 Compliance dates.
- 63.610 Exemption from new source performance standards.

APPENDIX A TO SUBPART AA OF PART 63—APPLICABILITY OF GENERAL PROVISIONS (40 CFR PART 63, SUBPART A) TO SUBPART AA

Subpart BB—National Emission Standards for Hazardous Air Pollutants From Phosphate Fertilizers Production Plants

- 63.620 Applicability
- 63.621 Definitions.
- 63.622 Standards for existing sources.
- 63.623 Standards for new sources.
- 63.624 Operating requirements.
- 63.625 Monitoring requirements.
- 63.626 Performance tests and compliance provisions.
- 63.627 Notification, recordkeeping, and reporting requirements.
- 63.628 Applicability of general provisions.
- 63.629 Miscellaneous requirements.
- 63.630 Compliance dates.
- 63.631 Exemption from new source performance standards.

APPENDIX A TO SUBPART BB OF PART 63—APPLICABILITY OF GENERAL PROVISIONS (40 CFR PART 63, SUBPART A) TO SUBPART BB

Subpart CC—National Emission Standards for Hazardous Air Pollutants From Petroleum Refineries

- 63.640 Applicability and designation of affected source.
- 63.641 Definitions.
- 63.642 General standards.
- 63.643 Miscellaneous process vent provisions.
- 63.644 Monitoring provisions for miscellaneous process vents.
- 63.645 Test methods and procedures for miscellaneous process vents.
- 63.646 Storage vessel provisions.
- 63.647 Wastewater provisions.
- 63.648 Equipment leak standards.
- 63.649 Alternative means of emission limitation: Connectors in gas/vapor service and light liquid service.
- 63.650 Gasoline loading rack provisions.
- 63.651 Marine tank vessel loading operation provisions.
- 63.652 Emissions averaging provisions.

Pt. 63

40 CFR Ch. I (7–1–99 Edition)

63.653 Monitoring, recordkeeping, and implementation plan for emissions averaging.

63.654 Reporting and recordkeeping requirements.

63.655–63.679 [Reserved]

APPENDIX TO SUBPART CC TO PART 63—TABLES

Subpart DD—National Emission Standards for Hazardous Air Pollutants from Off-Site Waste and Recovery Operations

63.680 Applicability and designation of affected sources.

63.681 Definitions.

63.682 [Reserved]

63.683 Standards: General.

63.684 Standards: Off-site material treatment.

63.685 Standards: Tanks.

63.686 Standards: Oil-water and organic-water separators.

63.687 Standards: Surface impoundments.

63.688 Standards: Containers.

63.689 Standards: Transfer systems..

63.690 Standards: Process vents.

63.691 Standards: Equipment leaks.

63.692 [Reserved]

63.693 Standards: Closed-vent systems and control devices.

63.694 Testing methods and procedures.

63.695 Inspection and monitoring requirements.

63.696 Recordkeeping requirements.

63.697 Reporting requirements.

63.698 Delegation of authority.

TABLE 1 TO SUBPART DD—LIST OF HAZARDOUS AIR POLLUTANTS (HAP) FOR SUBPART DD

TABLE 2 TO SUBPART DD—APPLICABILITY OF PARAGRAPHS IN 40 CFR 63 SUBPART A, GENERAL PROVISIONS, TO SUBPART DD

TABLE 3 TO SUBPART DD—TANK CONTROL LEVELS FOR TANKS AT EXISTING AFFECTED SOURCES AS REQUIRED BY 40 CFR 63.685(b)(1)

TABLE 4 TO SUBPART DD—TANK CONTROL LEVELS FOR TANKS AT NEW AFFECTED SOURCES AS REQUIRED BY 40 CFR 63.685(b)(2)

Subpart EE—National Emission Standards for Magnetic Tape Manufacturing Operations

63.701 Applicability.

63.702 Definitions.

63.703 Standards.

63.704 Compliance and monitoring requirements.

63.705 Performance test methods and procedures to determine initial compliance.

63.706 Recordkeeping requirements.

63.707 Reporting requirements.

63.708 Delegation of authority.

TABLE 1 TO SUBPART EE—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART EE

Subpart FF [Reserved]

Subpart GG—National Emission Standards for Aerospace Manufacturing and Repair Facilities

63.741 Applicability and designation of affected sources.

63.742 Definitions.

63.743 Standards: General.

63.744 Standards: Cleaning operations.

63.745 Standards: Primer and topcoat application operations.

63.746 Standards: Depainting operations.

63.747 Standards: Chemical milling maskant application operations.

63.748 Standards: Handling and storage of waste.

63.749 Compliance dates and determinations.

63.750 Test methods and procedures.

63.751 Monitoring requirements.

63.752 Recordkeeping requirements.

63.753 Reporting requirements.

63.754–63.759 [Reserved]

TABLE 1 TO SUBPART GG OF PART 63—GENERAL PROVISIONS APPLICABILITY TO SUBPART GG

APPENDIX TO SUBPART GG OF PART 63—SPECIALTY COATING DEFINITIONS

Subpart HH—National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities

63.760 Applicability and designation of affected source.

63.761 Definitions.

63.762 Startups, shutdowns, and malfunctions.

63.763 [Reserved]

63.764 General standards.

63.765 Glycol dehydration unit process vent standards.

63.766 Storage vessel standards.

63.767–63.768 [Reserved]

63.769 Equipment leak standards.

63.770 [Reserved]

63.771 Control equipment requirements.

63.772 Test methods, compliance procedures, and compliance determinations.

63.773 Inspection and monitoring requirements.

63.774 Recordkeeping requirements.

63.775 Reporting requirements.

63.776 Delegation of authority.

63.777 Alternative means of emission limitation.

63.778–63.779 [Reserved]

APPENDIX TO SUBPART HH—TABLES

Subpart II—National Emission Standards for Shipbuilding and Ship Repair (Surface Coating)

- 63.780 Relationship of subpart II to subpart A of this part.
- 63.781 Applicability.
- 63.782 Definitions.
- 63.783 Standards.
- 63.784 Compliance dates.
- 63.785 Compliance procedures.
- 63.786 Test methods and procedures.
- 63.787 Notification requirements.
- 63.788 Recordkeeping and reporting requirements.

TABLE 1 TO SUBPART II OF PART 63—GENERAL PROVISIONS OF APPLICABILITY TO SUBPART II

TABLE 2 TO SUBPART II OF PART 63—VOLATILE ORGANIC HAP (VOHAP) LIMITS FOR MARINE COATINGS

TABLE 3 TO SUBPART II OF PART 63—SUMMARY OF RECORDKEEPING AND REPORTING REQUIREMENTS

APPENDIX A TO SUBPART II OF PART 63—VOC DATA SHEET

APPENDIX B TO SUBPART II OF PART 63—MAXIMUM ALLOWABLE THINNING RATES AS A FUNCTION OF AS SUPPLIED VOC CONTENT AND THINNER DENSITY

Subpart JJ—National Emission Standards for Wood Furniture Manufacturing Operations

- 63.800 Applicability.
- 63.801 Definitions.
- 63.802 Emission limits.
- 63.803 Work practice standards.
- 63.804 Compliance procedures and monitoring requirements.
- 63.805 Performance test methods.
- 63.806 Recordkeeping requirements.
- 63.807 Reporting requirements.
- 63.808 Delegation of authority.
- 63.809–63.819 [Reserved]

TABLES TO SUBPART JJ TO PART 63

Subpart KK—National Emission Standards for the Printing and Publishing Industry

- 63.820 Applicability.
- 63.821 Designation of affected sources.
- 63.822 Definitions.
- 63.823 Standards: General.
- 63.824 Standards: Publication rotogravure printing.
- 63.825 Standards: Product and packaging rotogravure and wide-web flexographic printing.
- 63.826 Compliance dates.
- 63.827 Performance test methods.
- 63.828 Monitoring requirements.
- 63.829 Recordkeeping requirements.
- 63.830 Reporting requirements.
- 63.831 Delegation of authority.

63.832–63.839 [Reserved]

TABLE 1 TO SUBPART KK TO PART 63—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART KK

APPENDIX A TO SUBPART KK TO PART 63—DATA QUALITY OBJECTIVE AND LOWER CONFIDENCE LIMIT APPROACHES FOR ALTERNATIVE CAPTURE EFFICIENCY PROTOCOLS AND TEST METHODS

Subpart LL—National Emission Standards for Hazardous Air Pollutants for Primary Aluminum Reduction Plants

- 63.840 Applicability.
- 63.841 Incorporation by reference.
- 63.842 Definitions.
- 63.843 Emission limits for existing sources.
- 63.844 Emission limits for new or reconstructed sources.
- 63.845 Incorporation of new source performance standards for potroom groups.
- 63.846 Emission averaging.
- 63.847 Compliance provisions.
- 63.848 Emission monitoring requirements.
- 63.849 Test methods and procedures.
- 63.850 Notification, reporting, and recordkeeping requirements.
- 63.851 Regulatory authority review procedures.
- 63.852 Applicability of general provisions.
- 63.853 Delegation of authority.
- 63.854–63.859 [Reserved]

TABLE 1 TO SUBPART LL—POTLINE TF LIMITS FOR EMISSION AVERAGING

TABLE 2 TO SUBPART LL—POTLINE POM LIMITS FOR EMISSION AVERAGING

TABLE 3 TO SUBPART LL—ANODE BAKE FURNACE LIMITS FOR EMISSION AVERAGING

APPENDIX A TO SUBPART LL—APPLICABILITY OF GENERAL PROVISIONS (40 CFR PART 63, SUBPART A) TO SUBPART LL

Subpart OO—National Emission Standards for Tanks—Level 1

- 63.900 Applicability.
- 63.901 Definitions.
- 63.902 Standards—Tank fixed roof.
- 63.903–63.904 [Reserved]
- 63.905 Test methods and procedures.
- 63.906 Inspection and monitoring requirements.
- 63.907 Recordkeeping requirements.

Subpart PP—National Emission Standards for Containers

- 63.920 Applicability.
- 63.921 Definitions.
- 63.922 Standards—Container Level 1 controls.
- 63.923 Standards—Container Level 2 controls.
- 63.924 Standards—Container Level 3 controls.
- 63.925 Test methods and procedures.

- 63.926 Inspection and monitoring requirements.
- 63.927 Recordkeeping requirements.
- 63.928 Reporting requirements.

Subpart QQ—National Emission Standards for Surface Impoundments

- 63.940 Applicability.
- 63.941 Definitions.
- 63.942 Standards—Surface impoundment floating membrane cover.
- 63.943 Standards—Surface impoundment vented to control device.
- 63.944 [Reserved]
- 63.945 Test methods and procedures.
- 63.946 Inspection and monitoring requirements.
- 63.947 Recordkeeping requirements.
- 63.948 Reporting requirements.

Subpart RR—National Emission Standards for Individual Drain Systems

- 63.960 Applicability.
- 63.961 Definitions.
- 63.962 Standards.
- 63.963 [Reserved]
- 63.964 Inspection and monitoring requirements.
- 63.965 Recordkeeping requirements.
- 63.966 Reporting requirements.

Subpart SS—National Emission Standards for Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process

- 63.980 Applicability.
- 63.981 Definitions.
- 63.982 Requirements.
- 63.983 Closed vent systems.
- 63.984 Fuel gas systems and processes to which storage vessel, transfer rack, or equipment leak regulated materials emissions are routed.
- 63.985 Nonflare control devices used to control emissions from storage vessels and low throughput transfer racks.
- 63.986 Nonflare control devices used for equipment leaks only.
- 63.987 Flare requirements.
- 63.988 Incinerators, boilers, and process heaters.
- 63.989 [Reserved]
- 63.990 Absorbers, condensers, and carbon adsorbers used as control devices.
- 63.991–63.992 [Reserved]
- 63.993 Absorbers, condensers, carbon adsorbers and other recovery devices used as final recovery devices.
- 63.994 Halogen scrubbers and other halogen reduction devices.
- 63.995 Other control devices.
- 63.996 General monitoring requirements for control and recovery devices.

- 63.997 Performance test and compliance assessment requirements for control devices.
- 63.998 Recordkeeping requirements.
- 63.999 Notifications and other reports.

Subpart TT—National Emission Standards for Equipment Leaks—Control Level 1

- 63.1000 Applicability.
- 63.1001 Definitions.
- 63.1002 Compliance determination.
- 63.1003 Equipment identification.
- 63.1004 Instrument and sensory monitoring for leaks.
- 63.1005 Leak repair.
- 63.1006 Valves in gas and vapor service and in light liquid service standards.
- 63.1007 Pumps in light liquid service standards.
- 63.1008 Connectors in gas and vapor service and in light liquid service standards.
- 63.1009 Agitators in gas and vapor service and in light liquid service standards.
- 63.1010 Pumps, valves, connectors, and agitators in heavy liquid service; pressure relief devices in liquid service; and instrumentation systems standards.
- 63.1011 Pressure relief devices in gas and vapor service standards.
- 63.1012 Compressor standards.
- 63.1013 Sampling connection systems standards.
- 63.1014 Open-ended valves or lines standards.
- 63.1015 Closed vent systems and control devices; or emissions routed to a fuel gas system or process.
- 63.1016 Alternative means of emission limitation: Enclosed-vented process units.
- 63.1017 Recordkeeping requirements.
- 63.1018 Reporting requirements.

Subpart UU—National Emission Standards for Equipment Leaks—Control Level 2 Standards

- 63.1019 Applicability.
- 63.1020 Definitions.
- 63.1021 Alternative means of emission limitation.
- 63.1022 Equipment identification.
- 63.1023 Instrument and sensory monitoring for leaks.
- 63.1024 Leak repair.
- 63.1025 Valves in gas and vapor service and in light liquid service standards.
- 63.1026 Pumps in light liquid service standards.
- 63.1027 Connectors in gas and vapor service and in light liquid service standards.
- 63.1028 Agitators in gas and vapor service and in light liquid service standards.
- 63.1029 Pumps, valves, connectors, and agitators in heavy liquid service; pressure relief devices in liquid service; and instrumentation systems standards.

- 63.1030 Pressure relief devices in gas and vapor service standards.
- 63.1031 Compressors standards.
- 63.1032 Sampling connection systems standards.
- 63.1033 Open-ended valves or lines standards.
- 63.1034 Closed vent systems and control devices; or emissions routed to a fuel gas system or process standards.
- 63.1035 Quality improvement program for pumps.
- 63.1036 Alternative means of emission limitation: Batch processes.
- 63.1037 Alternative means of emission limitation: Enclosed vented process units or affected facilities.
- 63.1038 Recordkeeping requirements.
- 63.1039 Reporting requirements.

TABLE 1 TO SUBPART UU—BATCH PROCESSES
MONITORING FREQUENCY FOR EQUIPMENT
OTHER THAN CONNECTORS

Subpart VV—National Emission Standards for Oil-Water Separators and Organic-Water Separators

- 63.1040 Applicability.
- 63.1041 Definitions.
- 63.1042 Standards—Separator fixed roof.
- 63.1043 Standards—Separator floating roof.
- 63.1044 Standards—Separator vented to control device.
- 63.1045 [Reserved]
- 63.1046 Test methods and procedures.
- 63.1047 Inspection and monitoring requirements.
- 63.1048 Recordkeeping requirements.
- 63.1049 Reporting requirements.

Subpart WW—National Emission Standards for Storage Vessels (Tanks)—Control Level 2

- 63.1060 Applicability.
- 63.1061 Definitions.
- 63.1062 Storage vessel control requirements.
- 63.1063 Floating roof requirements.
- 63.1064 Alternative means of emission limitation.
- 63.1065 Recordkeeping requirements.
- 63.1066 Reporting requirements.

Subpart XX [Reserved]

Subpart YY—National Emission Standards for Hazardous Air Pollutants for Source Categories: Generic Maximum Achievable Control Technology Standards

- 63.1100 Applicability.
- 63.1101 Definitions.
- 63.1102 Compliance schedule.
- 63.1103 Source category-specific applicability, definitions, and requirements.

- 63.1104 Process vents from continuous unit operations: applicability assessment procedures and methods.
- 63.1105–63.1106 [Reserved]
- 63.1107 Equipment leaks: applicability assessment procedures and methods.
- 63.1108 Compliance with standards and operation and maintenance requirements.
- 63.1109 Recordkeeping requirements.
- 63.1110 Reporting requirements.
- 63.1111 Startup, shutdown, and malfunction.
- 63.1112 Extension of compliance, and performance test, monitoring, recordkeeping, and reporting waivers and alternatives.
- 63.1113 Procedures for approval of alternative means of emission limitation.

Subparts ZZ—BBB [Reserved]

Subpart CCC—National Emission Standards for Hazardous Air Pollutants for Steel Pickling—HCl Process Facilities and Hydrochloric Acid Regeneration Plants

- 63.1155 Applicability.
- 63.1156 Definitions.
- 63.1157 Emission standards for existing sources.
- 63.1158 Emission standards for new or reconstructed sources.
- 63.1159 Operational and equipment requirements for existing, new, or reconstructed sources.
- 63.1160 Compliance dates and maintenance requirements.
- 63.1161 Performance testing and test methods.
- 63.1162 Monitoring requirements.
- 63.1163 Notification requirements.
- 63.1164 Reporting requirements.
- 63.1165 Recordkeeping requirements.
- 63.1166 Delegation of authority.
- 63.1167–63.1174 [Reserved]

TABLE 1 TO SUBPART CCC—APPLICABILITY OF
GENERAL PROVISIONS (40 CFR PART 63,
SUBPART A) TO SUBPART CCC

Subpart DDD—National Emission Standards for Hazardous Air Pollutants for Mineral Wool Production

- 63.1175 What is the purpose of this subpart?
- 63.1176 Where can I find definitions of key words used in this subpart?
- 63.1177 Am I subject to this subpart?

STANDARDS

- 63.1178 For cupolas, what standards must I meet?
- 63.1179 For curing ovens, what standards must I meet?
- 63.1180 When must I meet these standards?

Pt. 63

40 CFR Ch. I (7–1–99 Edition)

COMPLIANCE WITH STANDARDS

- 63.1181 How do I comply with the particulate matter standards for existing, new, and reconstructed cupolas?
- 63.1182 How do I comply with the carbon monoxide standards for new and reconstructed cupolas?
- 63.1183 How do I comply with the formaldehyde standards for existing, new, and reconstructed curing ovens?

ADDITIONAL MONITORING INFORMATION

- 63.1184 What do I need to know about the design specifications, installation, and operation of a bag leak detection system?
- 63.1185 How do I establish the average operating temperature of an incinerator?
- 63.1186 How may I change the compliance levels of monitored parameters?
- 63.1187 What do I need to know about operations, maintenance, and monitoring plans?

PERFORMANCE TESTS AND METHODS

- 63.1188 What performance test requirements must I meet?
- 63.1189 What test methods do I use?

- 63.1190 How do I determine compliance?

NOTIFICATION, RECORDKEEPING, AND REPORTING

- 63.1191 What notifications must I submit?
- 63.1192 What recordkeeping requirements must I meet?
- 63.1193 What reports must I submit?

OTHER REQUIREMENTS AND INFORMATION

- 63.1194 Which general provisions apply?
- 63.1195 Who enforces this subpart?
- 63.1196 What definitions should I be aware of?
- 63.1197–63.1199 [Reserved]

TABLE 1 TO SUBPART DDD OF PART 63—APPLICABILITY OF GENERAL PROVISIONS (40 CFR PART 63, SUBPART A) TO SUBPART DDD OF PART 63.

APPENDIX A TO SUBPART DDD OF PART 63—FREE FORMALDEHYDE ANALYSIS OF INSULATION RESINS BY THE HYDROXYLAMINE HYDROCHLORIDE METHOD.

AUTHORITY: 42 U.S.C. 7401 *et seq.*

SOURCE: 57 FR 61992, Dec. 29, 1992, unless otherwise noted.